according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



## WINDEX® FOAMING GLASS CLEANER

Version 2.0 Print Date 01/17/2011

Revision Date 11/19/2010 MSDS Number 350000003719

SITE\_FORM Number

3000000000000003055.001

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Trade name : WINDEX® FOAMING GLASS CLEANER

Use of the : Hard Surface Cleaner

Substance/Mixture

Company : S.C. Johnson & Son, Inc.

1525 Howe Street Racine WI 53403-2236

Emergency telephone

number

24 Hour Transport & Medical Emergency Phone (866) 231-

5406

24 Hour International Emergency Phone (952) 852-4647

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Appearance / Odor : clear / aerosol / ammoniacal

Immediate Concerns : Caution

CAUSES EYE IRRITATION.

Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and flame.

Contents under pressure. Do not puncture or incinerate.

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

**Potential Health Effects** 

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:

Moderate eye irritation

Skin : Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : May cause nose, throat, and lung irritation.

Ingestion : May cause irritation to mouth, throat and stomach.

May cause abdominal discomfort.

Aggravated Medical

Condition

: Persons with pre-existing skin disorders may be more

susceptible to irritating effects.

Individuals with chronic respiratory disorders such as asthma,

1/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



## WINDEX® FOAMING GLASS CLEANER

Version 2.0 Print Date 01/17/2011

Revision Date 11/19/2010 MSDS Number 350000003719

SITE\_FORM Number

3000000000000003055.001

chronic bronchitis, emphysema, etc. may be more susceptible

to irritating effects.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Isopropanol	67-63-0	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00
Propylene glycol monobutyl ether	5131-66-8	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

## 4. FIRST AID MEASURES

Eye contact : Remove contact lenses. Flush immediately with plenty of water

for at least 15 to 20 minutes. Get medical attention if irritation

develops and persists.

Skin contact : Rinse with plenty of water. Get medical attention if irritation

develops and persists.

Inhalation : Remove to fresh air. If breathing is affected, get medical

attention.

Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during fire

fighting

: Aerosol Product - Containers may rocket or explode in heat of

fire. Container may melt and leak in heat of fire.

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



## WINDEX® FOAMING GLASS CLEANER

Version 2.0 Print Date 01/17/2011

Revision Date 11/19/2010 MSDS Number 350000003719

SITE\_FORM Number

300000000000003055.001

Flash point : < -7 °C

< 19.4 °F

Method: Tag Closed Cup (TCC)

Note: Propellant

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 1 Aerosol

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Wear personal protective equipment.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods for cleaning up : Soak up with inert absorbent material.

If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Sweep up and shovel into suitable containers for disposal.

Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

### Handling

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Do not puncture or incinerate. Avoid breathing vapors, mist or gas. For personal protection see section 8.

Do not spray toward face.

Do not use in areas without adequate ventilation.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

### Storage

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



# **WINDEX® FOAMING GLASS CLEANER**

Version 2.0 Print Date 01/17/2011

Revision Date 11/19/2010 MSDS Number 350000003719

Requirements for storage

: Do not store at temperatures above 120 Deg. F (50 Deg C), as

areas and containers container may burst.

Keep in a dry, cool and well-ventilated place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Isopropanol	67-63-0	980 mg/m3	400 ppm	-	OSHA TWA
Isopropanol	67-63-0	-	400 ppm	-	ACGIH STEL
Isopropanol	67-63-0	-	200 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA

### Personal protective equipment

# Respiratory protection

Industrial setting : Use only with adequate ventilation.

Household setting : Use only with adequate ventilation.

Hand protection : No special requirements.

Eye protection

Industrial setting : Safety glasses with side-shields

Household setting : Avoid contact with eyes.

**Skin and body protection** : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



## WINDEX® FOAMING GLASS CLEANER

Print Date 01/17/2011 Version 2.0

Revision Date 11/19/2010 MSDS Number 350000003719

SITE\_FORM Number

3000000000000003055.001

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form aerosol

Color clear

Odor ammoniacal

pН 10.5 - 11.0

Boiling point not applicable

Freezing point : not applicable

Flash point < -7 °C

< 19.4 °F

Method: Tag Closed Cup (TCC)

Propellant

Evaporation rate not applicable

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Vapour pressure no data available

Density no data available

Water solubility completely soluble

Partition coefficient: n-

octanol/water no data available

(California Air Resource

Board – CARB) Total VOC (wt. %)

Volatile Organic Compounds : 11.4 % - does not include any applicable regulatory

exemptions

## 10. STABILITY AND REACTIVITY

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong oxidizing agents

Strong acids

5/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



## WINDEX® FOAMING GLASS CLEANER

Print Date 01/17/2011 Version 2.0

Revision Date 11/19/2010 MSDS Number 350000003719

SITE\_FORM Number

3000000000000003055.001

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

Hazardous reactions Stable under recommended storage conditions.

## 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50

> estimated > 5,000 mg/kg

: LC50 Acute inhalation toxicity

> estimated > 2 mg/l

Acute dermal toxicity : LD50

> estimated > 2,000 mg/kg

**Chronic effects** 

Carcinogenicity no data available

Mutagenicity no data available

Reproductive effects no data available

Teratogenicity no data available

Sensitisation Not known to be a sensitizer.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** no data available

# 13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



### WINDEX® FOAMING GLASS CLEANER

Version 2.0 Print Date 01/17/2011

Revision Date 11/19/2010 MSDS Number 350000003719

SITE\_FORM Number

3000000000000003055.001

disposal.

Consumer may discard empty container in trash, or recycle

where facilities exist.

RCRA waste class : D001 (Ignitable Waste)

# 14. TRANSPORT INFORMATION

#### Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1
UN number 1950
Packaging group: None.

Note: SC Johnson ships this product as Consumer Commodity ORM-D

(non-bulk packages)

### Sea transport

IMDG:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2
UN number: 1950
Packaging group: None.
EmS: F-D, S-U

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

# Air transport

ICAO/IATA:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1
UN/ID No.: UN 1950
Packaging group: None.

Note: SC Johnson typically does not ship products via air, therefore it has

not been determined if the product container meets current

IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



## WINDEX® FOAMING GLASS CLEANER

Print Date 01/17/2011 Version 2.0

Revision Date 11/19/2010 MSDS Number 350000003719

SITE FORM Number

3000000000000003055.001

: All ingredients of this product comply with the New Substances Notification status

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

: This product is not subject to the reporting requirements under California Prop. 65

California's Proposition 65.

Canada Regulations : This product has been classified in accordance with hazard

> criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products

Regulations.

#### 16. OTHER INFORMATION

**HMIS Ratings** 

i iiiii O i tatii igo		
Health	1	
Flammability	4	
Reactivity	0	

NFPA Ratings

NFPA Ratings		
Health	1	
Fire	4	
Reactivity	0	
Special		
1		

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)