

Delta Technical Coatings, Inc. Material Safety Data Sheet

IDENTITY (As Used on label and List)			Note: Blank spaces are not permitted. If any item is not applicable, or no						
Ceramcoat Acrylic Paint (all colors) -various sized	d bottles	information is available, the space must be marked to indicate that.							
SECTION I		2010			***				
Manufacturer's Name		Emergency Tele							
Delta Technical Coatings, Inc.		(800) 423-	3-4135						
Address		1 '	ber for Information						
2550 Pellissier Place		(562) 695-	(562) 695-7969						
	Date Prepared								
Whittier, California 90601-1505	er, California 90601-1505 Rev. 1/31/05								
SECTION II - Hazardous Ingredients/Identify Informa	ition		ı						
Hazardous Components (Specific Chemical Identity; Common Name(s))			OSHA PEL ACGIH TLV Other Limit:			s % (optional) N/A			
None			N/A N/A N/A				1		
·									
And the second s					,				
SECTION III -Physical/Chemical Characteristics					100				
Boiling Point		Specific Gravity	(H ₂ O = 1)		26/2016/2016/2016/2016/2016/2016/2016/20	BANK BANK SAMA HARANA			
Bonning Form	N/A	Openino Granty	(1.20 1)			1.3 - 1.4	45		
Vapor Pressure (mm Hg.)		Melting Point							
vapor y rossaro (mining.)	N/A					N/A			
Vapor Density (AIR ≂ 1)	Evaporation Rate (Butyl Acetate = 1)								
	>1	,				<1			
Solubility in Water		<u>'</u>	***						
Dilutable									
Appearance and Odor		·							
A viscous colored liquid with a mild acrylic odor.									
SECTION IV -Fire and Explosion Hazard Data									
Flash Point (Method Used)		Flammable Limi	mits LEL			UEL			
	N/A	4		N/A	N/	/A	N/A		
Extinguishing Media									
Dry chemical, CO2, water fog									
Special Fire Fighting Procedures									
N/A									
Manual Fig. and Evelopin Harrydo									
Unusual Fire and Explosion Hazards None									
NOTE									
SECTION V -Reactivity Data	10 A								

MSDS000001

Stability	Unstable		Conditions to Avoid					
	Stable		IN/A					
		Х						
Incompatibility (Materials to								
Strong acids and a								
Hazardous Decomposition o	or Byproducts							
N/A Hazardous	May Occur		Conditions to Avoid					
Polymerization	May Occur		N/A					
	Will Not Occur							
		<u> </u>						
SECTION VI -Health	r Hazaro Data			Inhelations		Skina		Ingestion?
Route(s) of Entry:				Inhalation?	No	Skin?	No	Ingestion?
Health Hazards (Acute and	Chronic)		·			···········		
None								
				T		1		
Carcinogenicity:				NTP?		IARC Monographs		OSHA Regulated?
				<u> </u>	No		No	No
	•							
Signs and Symptoms of Exp	oosure							
Inhalation: No know		nptoms	associated with	n exposure to	product.			
Skin & Eye: No kn	own signs or sy	mptom	s associated wi	th exposure t	o product. Cert	ified Non-Toxic.		
Ingestion: No know	vn signs or sym	ptoms	associated with	exposure to	product.			
Medical Conditions General	ly Aggravated by Expo	sure						
N/A								
Emergency and First Aid Pr Inhalation: Move s		air Eve	contact: Flush	eves with a	large amount of	fwater for at lea	et 15 minutes	
Innalation, Move 5	ubject to fresh a	ан. шус	5 CONTACT. 1 IUSII	eyes will a	large amount of	Water for at lea	ist 15 minutes.	
Skin Contact: Was	h affected area	s thoro	ughly with soap	and water.				
			<u> </u>					
Ingestion: If swallo	wed, give two	glasses	of water to drin	k. Consult a	physician.			
				MT.				
SECTION VII -Preca	utions for Safe I	Handlin	g and Use					
Steps To Be Taken in Case								
Control spill with p	aper towel. Dri	ed refu	se may be disp	osed of acco	rding to local, st	tate and federal	regulations.	

MSDS000001

Waste Disposal Metho					
Dried refuse m	ay be disposed of according to	local, state and federa	al regulation	is. Check with local author	rities for details on
disposal.					
Precautions to Be Tak	en in Handling and Storing	·			
Avoid storing in	n areas exposed to direct sunliq	ght. Keep from freezin	ıg temperatı	ires. Store in a cool, dry pl	ace.
Other Precautions					
Keep containe	r tightly closed when not in use				
KEEP OUT C	OF REACH OF CHILDREN.				
encin formación de la trabación de la companya de l	Control Measures				
Respiratory Protection	(Specify Type)				
Ventilation	Local Exhaust			Special	
		Rec	commended		None
	Mechanical (General)			Other	Nama
	<u> </u>	M	ay be used.		None
Protective Gloves	atia ar rubbar				
Impervious pla Protective Glasses	istic of Tubber.				
	may be worn to avoid eye con	itact.			
Other Protective Cloth					
	arments may be worn to avoid	contact with skin.			
Work/Hygienic Practic	ces				
Clean-up with	soap and water. Wash hands	with soap and water a	fter using pr	oduct. Close container tigl	htly.
SECTION IX - D	isclaimer				
Delta Technica	al Coatings, Inc. Assumes no r	esponsibility for person	nal iniury or	property damage to yende	ees.
Della Technica	ar oddingo, inc. vicodineo no r	coponicional ter percen	iai injury or	proporty annuage to conse	
users or third p	parties caused by the product.	Such vendees assume	es all risks a	associated with the use of t	his product.
	HMIS SYMBOL	RATING		Transportation	Information:
				•	
100 200	0	SEVERE	4	D.O.T. :	Not Regulated
	AMMABILITY 0	SERIOUS	3		
RE	ACTIVITY 0	MODERATE	2	I.A.T.A.:	Not Regulated
		SLIGHT	1		
		MINIMAL	0	CERCLA RQ:	None